ELSEVIER

Journal of Affective Disorders 82 (2004) 505–509

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Contents (Vol. 82)

Issue 1 1 October 2004

Research reports

Adaptive and maladaptive self-focus in depression
E. Watkins and J.D. Teasdale (UK) 1

Child and adolescent clinical features as forerunners of adult-onset major depressive disorder: retrospective evidence from an epidemiological sample
H.C. Wilcox and J.C. Anthony (USA) 9

Clinical features related to age at onset in bipolar disorder
C.L. Ernst and J.F. Goldberg (USA) 21

The Impact of Event Scale—Revised: evaluation of the subscales and correlations to psychophysiological startle response patterns in survivors of a life-threatening cardiac event: An analysis of 129 patients with an implanted cardioverter defibrillator
J. Baumert, H. Simon, H. Gündel, C. Schmitt and K.-H. Ladwig (Germany) 29

The suicidal process; prospective comparison between early and later stages
J. Neeleman, R. de Graaf and W. Vollebergh (Netherlands) 43

Age effects on cortisol levels in depressed patients with and without comorbid post-traumatic stress disorder, and healthy volunteers
L. Sher, M.A. Oquendo, H.C. Galfalvy, T.B. Cooper and J.J. Mann (USA) 53

A dual vulnerability hypothesis for seasonal depression is supported by the seasonal pattern assessment questionnaire in relation to the temperament and character inventory of personality in a general population
J. Chotai, K. Smedh, L.-G. Nilsson and R. Adolfsson (Sweden) 61

Motor cortical excitability and clinical response to rTMS in depression
P.B. Fitzgerald, T.L. Brown, N.A.U. Marston, Z.J. Daskalakis, A. de Castella, J.L. Bradshaw and J. Kulkarni (Australia, Canada) 71

Use of prescription medications and complementary and alternative medicines to treat depressive and anxiety symptoms: results from a community sample
R.A. Parslow and A.F. Jorm (Australia) 77

Prefrontal hemodynamic response to verbal-fluency task and hyperventilation in bipolar disorder measured by multi-channel near-infrared spectroscopy
K. Matsuo, A. Watanabe, Y. Onodera, N. Kato and T. Kato (Japan) 85

A prevalence study of antenatal depression among Chinese women
D.T.S. Lee, S.S.M. Chan, D.S. Sahota, A.S.K. Yip, M. Tsui and T.K.H. Chung (Hong Kong, USA) 93

Accounting for depressive symptoms in women: a twin study of associations with interpersonal relationships
E.L. Spotts, J.M. Neiderhiser, J. Ganiban, D. Reiss, P. Lichtenstein, K. Hansson, M. Cederblad and N.L. Pedersen (Sweden, USA) 101

doi: 10.1016/S0165-0327(04)00312-X

Brief reports

Does a U-shaped relationship exist between alcohol use and DSM-III-R mood and anxiety disorders?
J. Sareen, L. McWilliams, B. Cox and M.B. Stein (Canada, USA) 113

Comorbid major depression and panic disorder: significance of temporal sequencing to familial transmission
L. Dindo and W. Coryell (USA) 119

"Coping with depression": an open study of the efficacy of a group psychoeducational intervention in chronic, treatment-refractory depression
J. Swan, E. Sorrell, B. MacVicar, R. Durham and K. Matthews (UK) 125

Bipolar disorder: I. Temperament and character
C. Engström, S. Brändström, S. Sigvardsson, R. Cloninger and P.-O. Nylander (Sweden, USA) 131

Styles of adaptation in autoimmune thyroiditis and bipolar disorder: a pilot study
I.A. Rubino, G. Salvadore, A. Siracusano, E. Fidotti and P. Zuppi (Italy) 135

Mood disorders in opioid-dependent patients
J. Ahmadi, B. Majdi, S. Mahdavi and M. Mohagheghzadeh (Iran) 139

Effects of stress and social support on recurrence in bipolar disorder
A.N. Cohen, C. Hammen, R.M. Henry and S.E. Daley (USA) 143

Preliminary communication

Treatment-emergent mania in pediatric bipolar disorder: a retrospective case review
G.L. Faedda, R.J. Baldessarini, I.P. Glovinsky and N.B. Austin (USA) 149

Corrigendum

Corrigendum to "Suicidal depressed vs. non-suicidal depressed adolescents: differences in recent psychopathology" [Journal Affective Disorders 74(2003)229–236]
J. Csorba, S. Rózsa, J. Gádoros, Á. Vetró, E. Kaczvinszky, E. Sarungi, J. Makra and K. Kapornay (Hungary) 159

Instructions to Authors 161

Issue 2 15 October 2004

Reviews

Do antipsychotics ameliorate or exacerbate Obsessive Compulsive Disorder symptoms?: A systematic review
J. Sareen, A. Kirshner, M. Lander, K.D. Kjernisted, M.K. Eleff and J.P. Reiss (Canada) 167

The phenomenology and treatment of interferon-induced depression
J.M. Loftis and P. Hauser (USA) 175

Research reports

Decreased activation of the anterior cingulate in bipolar patients: an fMRI study
S.A. Gruber, J. Rogowska and D.A. Yurgelun-Todd (USA) 191

Increased sensitivity to error during decision-making in bipolar disorder patients with acute mania
A. Minassian, M.P. Paulus and W. Perry (USA) 203

Does referral bias impact findings in high-risk offspring for anxiety disorders? A controlled study of high-risk children of non-referred parents with panic disorder/agoraphobia and major depression
J. Biederman, M.C. Monuteaux, S.V. Faraone, D.R. Hirshfeld-Becker, A. Henin, J. Gilbert and J.F. Rosenbaum (USA) 209
Adverse childhood experiences and the risk of depressive disorders in adulthood
D.P. Chapman, C.L. Whitfield, V.J. Felitti, S.R. Dube, V.J. Edwards and R.F. Anda (USA) 217
Self-criticism and social phobia in the US national comorbidity survey
B.J. Cox, C. Fleet and M.B. Stein (Canada, USA) 227
A population study of the association between sexual function, sexual satisfaction and depressive symptoms in men
A. Nicolosi, E.D. Moreira Jr, M. Villa and D.B. Glasser (Italy, USA, Brazil) 235
The influence of major depression and its treatment on heart rate variability and pupillary light reflex parameters
K.-J. Bär, W. Greiner, T. Jochum, M. Friedrich, G. Wagner and H. Sauer (Germany) 245

Brief reports

Evidence for continuing neuropsychological impairments in depression
P. Weiland-Fiedler, K. Erickson, T. Waldeck, D.A. Luckenbaugh, D. Pike, O. Bonne, D.S. Charney and A. Neumeister (USA) 253
The problem of diagnosing major depression in elderly primary care patients
A.C. Volkers, J. Nuyen, P.F.M. Verhaak and F.G. Schellevis (Netherlands) 259
Verbal memory and aspects of attentional control in children and adolescents with anxiety disorders or depressive disorders
T. Günther, K. Holtkamp, J. Jolles, B. Herpertz-Dahlmann and K. Konrad (Germany, Netherlands) 265
Base rates for panic and depression according to the Brief Patient Health Questionnaire: a population-based study
W. Rief, A. Nanke, A. Klaiberg and E. Braehler (Germany) 271
Personality disorder, depression and functioning: results from the ODIN study
P. Casey, G. Birbeck, C. McDonagh, A. Horgan, C. Dowrick, O. Dalgard, V. Lethinen, J.L. Ayuso-Mateos, G. Dunn, H. Page, C. Wilkinson, G. Wilkinson, J.L. Vazquez-Barquero and The ODIN Group (Ireland, UK, Norway, Finland, Spain) 277
Delayed vasodilatory response to methylnicotinate in patients with unipolar depressive disorder
B.M. Ross, P. Ward and I. Glen (UK) 285
Is the type of remission after a major depressive episode an important risk factor to relapses in a 4-year follow up?
L. Pintor, X. Torres, V. Navarro, S. Matrai and C. Gastó (Spain) 291
Prevalence rates and psychosocial characteristics associated with depression in pregnancy and postpartum in Maltese women
E. Felice, J. Saliba, V. Grech and J. Cox (Malta, UK) 297
Safety of *Hypericum* extract in mildly to moderately depressed outpatients: A review based on data from three randomized, placebo-controlled trials
R.D. Trautmann-Sponsel and A. Dienel (Germany) 303
Cytokine production in bipolar affective disorder patients under lithium treatment
F. Boufidou, C. Nikolaou, B. Alevizos, I.A. Liappas and G.N. Christodoulou (Greece) 309
An exploration of comorbid depression among female victims of intimate partner violence with posttraumatic stress disorder
R.D.V. Nixon, P.A. Resick and P. Nishith (USA) 315

Preliminary communication

PET brain imaging with [^{11}C](+)McN5652 shows increased serotonin transporter availability in major depression
M. Reivich, J.D. Amsterdam, D.J. Brunswick and C. Yann Shiue (USA) 321

Instructions to Authors 329

Issue 3 1 November 2004

Research reports

Electroconvulsive therapy in adolescent and adult psychiatric inpatients—a retrospective chart design
D. Stein, L. Kurtsman, S. Stier, Y. Remnik, S. Meged and A. Weizman (Israel) 335
Expressed emotion as a predictor of outcome among bipolar patients undergoing family therapy
E.Y. Kim and D.J. Miklowitz (USA) 343
The role of life events in depression in primary medical care versus psychiatric settings
J.C. Coyne, R. Thompson and C.M. Pepper (United States) 353
Functioning after a major depressive episode: complete or incomplete recovery?
M.A. Buist-Bouwman, J. Ormel, R. de Graaf and W.A.M. Vollebergh (The Netherlands) 363
The impact of unrecognized bipolar disorders for patients treated for depression with antidepressants in the fee-for-services California Medicaid (Medi-Cal) program
L. Shi, P. Thiebaud and J.S. McCombs (USA) 373
Children of a cohort of depressed patients 25 years later: psychopathology and relationships
C. Peisah, H. Brodaty, G. Luscombe and K.J. Anstey (Australia) 385
Momentary changes in the cardiovascular autonomic system during mental loading in patients with panic disorder: a new physiological index "ρ_{max}"
T. Shioiri, M. Kojima, T. Hosoki, H. Kitamura, A. Tanaka, T. Bando and T. Someya (Japan) 395
Deficiency of theory of mind in patients with remitted mood disorder
Y. Inoue, Y. Tonooka, K. Yamada and S. Kanba (Japan) 403
Regional brain responses to serotonin in major depressive disorder
A.D. Anderson, M.A. Oquendo, R.V. Parsey, M.S. Milak, C. Campbell and J.J. Mann (USA) 411
Using the CES-D in a two-phase survey for depressive disorders among nonreferred adolescents in Taipei: a stratum-specific likelihood ratio analysis
H.-J. Yang, W.-T. Soong, P.-H. Kuo, H.-L. Chang and W.J. Chen (Taiwan) 419

Brief reports

Does adjunctive family therapy enhance recovery from bipolar I mood episodes?
I.W. Miller, D.A. Solomon, C.E. Ryan and G.I. Keitner (USA) 431
Suicide attempts: differences between unipolar and bipolar patients and among groups with different lethality risk
M. Raja and A. Azzoni (Italy) 437
Compliance with SSRI medication during 6 months of treatment for major depression: an evaluation by determination of repeated serum drug concentrations
M. Reis, A. Åberg-Wistedt, H. Ågren, A.-C. Åkerblad and F. Bengtsson (Sweden) 443
Fish consumption and depression: the Northern Finland 1966 birth cohort study
M. Timonen, D. Horrobin, J. Jokelainen, J. Laitinen, A. Herva and P. Räsänen (Finland, UK) 447

Neuropsychological functioning in major depression and responsiveness to selective serotonin reuptake inhibitors antidepressants
O. Kampf-Sherf, Z. Zlotogorski, A. Gilboa, L. Speedie, J. Lereya, P. Rosca and Y. Shavit (Israel, USA) 453

Pathways to comorbidity: the transition of pure mood, anxiety and substance use disorders into comorbid conditions in a longitudinal population-based study
R. de Graaf, R.V. Bijl, M. ten Have, A.T.F. Beekman and W.A.M. Vollebergh (The Netherlands) 461

Residual symptoms in depressed patients who successfully respond to short-term psychotherapy
J.S. Ogrodniczuk, W.E. Piper and A.S. Joyce (Canada) 469

Preliminary communication

Decreased cortical gray and cerebral white matter in male patients with familial bipolar I disorder
K.A. Davis, A. Kwon, V.A. Cardenas and R.F. Deicken (USA) 475

Instructions to Authors 487

Author index 491

Subject index 497

Contents (Vol. 82) 505

Using the CES-D in a two-phase survey for depressive disorders among nonreferred adolescents in Taipei: a stratum-specific likelihood ratio analysis
H.-J. Yang, W.-T. Soong, P.-H. Kuo, H.-L. Chang and W.J. Chen (Taiwan) 419

Brief reports

Does adjunctive family therapy enhance recovery from bipolar I mood episodes?
I.W. Miller, D.A. Solomon, C.E. Ryan and G.I. Keitner (USA) 431
Suicide attempts: differences between unipolar and bipolar patients and among groups with different lethality risk
M. Raja and A. Azzoni (Italy) 437
Compliance with SSRI medication during 6 months of treatment for major depression: an evaluation by determination of repeated serum drug concentrations
M. Reis, A. Åberg-Wistedt, H. Ågren, A.-C. Åkerblad and F. Bengtsson (Sweden) 443
Fish consumption and depression: the Northern Finland 1966 birth cohort study
M. Timonen, D. Horrobin, J. Jokelainen, J. Laitinen, A. Herva and P. Räsänen (Finland, UK) 447
Neuropsychological functioning in major depression and responsiveness to selective serotonin reuptake inhibitors antidepressants
O. Kampf-Sherf, Z. Zlotogorski, A. Gilboa, L. Speedie, J. Lereya, P. Rosca and Y. Shavit (Israel, USA) 453
Pathways to comorbidity: the transition of pure mood, anxiety and substance use disorders into comorbid conditions in a longitudinal population-based study
R. de Graaf, R.V. Bijl, M. ten Have, A.T.F. Beekman and W.A.M. Vollebergh (The Netherlands) 461
Residual symptoms in depressed patients who successfully respond to short-term psychotherapy
J.S. Ogrodniczuk, W.E. Piper and A.S. Joyce (Canada) 469

Preliminary communication

Decreased cortical gray and cerebral white matter in male patients with familial bipolar I disorder
K.A. Davis, A. Kwon, V.A. Cardenas and R.F. Deicken (USA) 475

Instructions to Authors 487

Author index 491

Subject index 497

Contents (Vol. 82) 505

Vol. 82
Iss. 1
OCT 1
2004